



FLANGIA FILETTATA EN 1092-1 TIPO 13 PN 10



Materiali= Acciaio al carbonio, acciaio INOX A304, Acciaio INOX A316

TUBO	FLANGE						FORI		kg
DN	A mm	B mm	D mm	F mm	H mm	M mm	N°	Thr.	
10	50	12	75	11	20	25	4	M 10	0,39
15 - 1/2"	55	12	80	11	20	30	4	M 10	0,43
20 - 3/4"	65	14	90	11	24	40	4	M 10	0,66
25 - 1"	75	14	100	11	24	50	4	M 10	0,82
32 - 1"1/4	90	14	120	14	26	60	4	M 12	1,17
40 - 1"1/2	100	14	130	14	26	70	4	M 12	1,40
50 - 2"	110	14	140	14	28	80	4	M 12	1,59
65 - 2"1/2	130	14	160	14	32	100	4	M 12	2,17
80 - 3"	150	16	190	18	34	110	4	M 20	3,20
100 - 4"	170	16	210	18	38	130	4	M 20	3,59
125 - 5"	200	18	240	18	40	160	8	M 20	4,94
150 - 6"	225	18	265	18	44	185	8	M 20	5,83


FLANGIA FILETTATA EN 1092-1 TIPO 13 PN 16



Materiali= Acciaio al carbonio, acciaio INOX A304, Acciaio INOX A316

TUBO	FLANGE						FORI		kg
DN	A mm	B mm	D mm	F mm	H mm	M mm	N°	Thr.	
10	60	14	90	14	20	30	4	M 12	0,63
15 - 1/2"	65	14	95	14	20	35	4	M 12	0,70
20 - 3/4"	75	16	105	14	24	45	4	M 12	1,01
25 - 1"	85	16	115	14	24	52	4	M 12	1,21
32 - 1"1/4	100	16	140	18	26	60	4	M 16	1,76
40 - 1"1/2	110	16	150	18	26	70	4	M 16	2,04
50 - 2"	125	18	165	18	28	85	4	M 16	2,85
65 - 2"1/2	145	18	185	18	32	105	4	M 16	3,53
80 - 3"	160	20	200	18	34	118	8	M 16	4,24
100 - 4"	180	20	220	18	38	140	8	M 16	4,90
125 - 5"	210	22	250	18	40	168	8	M16	6,63
150 - 6"	240	22	285	22	44	195	8	M 20	8,49

FLANGIA FILETTATA EN 1092-1 TIPO 13 PN 40



Materiali= Acciaio al carbonio, acciaio INOX A304, Acciaio INOX A316

TUBO	FLANGE						FORI		kg
DN	A mm	B mm	D mm	F mm	H mm	M mm	N°	Thr.	
10	60	16	90	14	22	30	4	M 12	0,72
15 - 1/2"	65	16	95	14	22	35	4	M 12	0,80
20 - 3/4"	75	18	105	14	26	45	4	M 12	1,13
25 - 1"	85	18	115	14	28	52	4	M 12	1,37
32 - 1"1/4	100	18	140	18	30	60	4	M 16	1,99
40 - 1"1/2	110	18	150	18	32	70	4	M 16	2,35
50 - 2"	125	20	165	18	34	85	4	M 16	3,11
65 - 2"1/2	145	22	185	18	38	105	8	M 16	4,10
80 - 3"	160	24	200	18	40	118	8	M 16	5,06
100 - 4"	190	24	235	22	44	145	8	M 20	6,81
125 - 5"	220	26	270	25	48	170	8	M 22	9,25
150 - 6"	250	28	300	25	52	200	8	M 22	12,1