


R1011



268/N

MANICOTTO NERO




- BLACK SOCKET
- MUFFE G. L. SCHWARZ
- MANCHON NOIR
- MANGUITO NEGRO

TYPE: International Nr. 16


MATERIAL: CB4FFKD ($\varnothing < 1''$)
P235TR1 - S235 (R.St.37.0) ($\varnothing \geq 1''$)

NORM: UNI / DIN EN 10241 (ex DIN 2986)

THREAD: EN 10226-1 (ex ISO 7/1)

CODE	DN	DN inch	D2 mm	L min mm			
268108000*	6	1/8"	14	17	12	200	-
268104000*	8	1/4"	18,5	25	23	200	-
268308000*	10	3/8"	21,3	26	33	150	-
268102000*	15	1/2"	26,4	34	63	150	14400
268304000*	20	3/4"	31,8	36	80	150	8400
268100000	25	1"	39,5	43	142	100	5600
268114000	32	1 1/4"	48,3	48	189	50	2800
268112000	40	1 1/2"	54,5	48	220	40	2240
268200000	50	2"	66,3	56	320	25	1400
268212000	65	2 1/2"	82	65	530	6	-
268300000	80	3"	95	71	680	6	-
268400000	100	4"	122	83	1100	6	-
268500000	125	5"	147	92	1531	4	-
268600000	150	6"	174	92	2212	2	-

(*) Stampati Cold formed Kalt verformt Matrices Estampados



268/M



MEZZO MANICOTTO NERO

- BLACK HALF SOCKET
- MUFFE H. L. SCHWARZ
- DEMI MANCHON NOIR
- MEDIO MANGUITO NEGRO


MATERIAL: CB4FFKD ($\varnothing < 1''$)
P235TR1 - S235 (R.St.37.0) ($\varnothing \geq 1''$)

NORM: UNI / DIN EN 10241 (ex DIN 2986)

THREAD: EN 10226-1 (ex ISO 7/1)

CODE	DN	DN inch	D2 mm	L min mm		
268104102*	8	1/4"	18,5	11	10	500
268308102*	10	3/8"	21,3	12	16	500
268102120*	15	1/2"	26,4	15	28	300
268304102*	20	3/4"	31,8	17	36	150
268100102	25	1"	39,5	19,5	64	100
268114102	32	1 1/4"	48,3	22	90	50
268112102	40	1 1/2"	54,5	22	104	40
268200102	50	2"	66,3	26	150	20
268212102	65	2 1/2"	82	30,5	245	12
268300102	80	3"	95	34	320	12
268400102	100	4"	122	40	530	12

(*) Stampati Cold formed Kalt verformt Matrices Estampados




600

TRONCHETTO NERO

- BLACK WELDING NIPPLE
- ANSCHWEISSENDE SCHWARZ
- DEMI MAMELON NOIR
- CARRETE NEGRO ROSCADO

MATERIAL: P235TR1 - S235 (R.St.37.0)
NORM: UNI / DIN EN 10241 (ex DIN 2982)
THREAD: EN 10226-1 (ex ISO 7/1)

CODE	DN	DN inch	DN mm	L mm	B mm	S mm		
600308100	10	3/8"	17	100	11	2	76	30
600102100	15	1/2"	21,2		14	2,3	100	30
600304100	20	3/4"	26,9		16	2,3	135	30
600100100	25	1"	33,7		18	2,9	210	20
600114100	32	1"1/4	42,4		20	2,9	260	16
600112100	40	1"1/2	48,3		22	2,9	310	16
600200100	50	2"	60,3		24	3,2	410	12
600212100	65	2"1/2	76,1		25	3,6	530	10
600300100	80	3"	88,9		30	3,6	670	6
600400100	100	4"	114,3		35	4,2	960	6
600500100	125	5"	139,7		40	5	1475	4
600600100	150	6"	168,3		40	6,5	1790	4
600308150	10	3/8"	17	150	11	2	100	15
600102150	15	1/2"	21,2		14	2,3	160	15
600304150	20	3/4"	26,9		16	2,3	202	15
600100150	25	1"	33,7		18	2,9	310	10
600114150	32	1"1/4	42,4		20	2,9	400	8
600112150	40	1"1/2	48,3		22	2,9	430	8
600200150	50	2"	60,3		24	3,2	640	6
600212150	65	2"1/2	76,1		25	3,6	840	5
600300150	80	3"	88,9		30	3,6	1010	4
600400150	100	4"	114,3		35	4,2	1640	6
600500150	125	5"	139,7		40	5	2420	4
600600150	150	6"	168,3		40	6,5	3050	4
600308200	10	3/8"	17	200	11	2	150	15
600102200	15	1/2"	21,2		14	2,3	230	15
600304200	20	3/4"	26,9		16	2,3	270	15
600100200	25	1"	33,7		18	2,9	430	10
600114200	32	1"1/4	42,4		20	2,9	530	8
600112200	40	1"1/2	48,3		22	2,9	600	8
600200200	50	2"	60,3		24	3,2	870	6
600212200	65	2"1/2	76,1		25	3,6	1180	5
600300200	80	3"	88,9		30	3,6	1400	4
600400200	100	4"	114,3		35	4,2	2180	6
600500200	125	5"	139,7		40	5	3130	4
600600200	150	6"	168,3		40	6,5	4840	4




530/N

VITE DI ALLUNGAMENTO BARILOTTO NERO

- BLACK BARREL NIPPLE
- ROHRDOPPELNIPPEL SCHWARZ
- MAMELON NOIR
- CARRETE DE PROLONGACION NEGRO

TYPE: International Nr. 23
MATERIAL: P235TR1 - S235 (R.St.37,0)
NORM: UNI / DIN EN 10241 (ex DIN 2982)
THREAD: EN 10226-1 (ex ISO 7/1)

CODE	DN	DN inch	DN mm	L mm	B mm	S mm			
530308040	10	3/8"	17	40	11	2	38	10	
530102040	15	1/2"	21,2		14	2,3	50	10	
530304040	20	3/4"	26,9		16	2,3	63	10	
530100040	25	1"	33,7		18	2,9	91	20	
530114040	32	1 1/4"	42,4		20	2,9	128	20	
530112040	40	1 1/2"	48,3		22	2,9	147	20	
530308050	10	3/8"	17	50	11	2	47	10	
530102050	15	1/2"	21,2		14	2,3	61	10	
530304050	20	3/4"	26,9		16	2,3	78	10	
530100050	25	1"	33,7		18	2,9	112	20	
530114050	32	1 1/4"	42,4		20	2,9	156	20	
530112050	40	1 1/2"	48,3		22	2,9	179	20	
530308060	10	3/8"	17	60	11	2	55	10	
530102060	15	1/2"	21,2		14	2,3	72	10	
530304060	20	3/4"	26,9		16	2,3	92	10	
530100060	25	1"	33,7		18	2,9	132	20	
530114060	32	1 1/4"	42,4		20	2,9	185	20	
530112060	40	1 1/2"	48,3		22	2,9	212	20	
530200060	50	2"	60,3	70	24	3,2	296	20	
530102070	15	1/2"	21,2		14	3	82	30	
530304070	20	3/4"	26,9		16	2,3	106	30	
530100070	25	1"	33,7		18	2,9	152	20	
530308080	10	3/8"	17		80	11	2	72	10
530102080	15	1/2"	21,2			14	2,3	93	30
530304080	20	3/4"	26,9	16		2,3	120	30	
530100080	25	1"	33,7	18		2,9	172	20	
530114080	32	1 1/4"	42,4	20		2,9	241	16	
530112080	40	1 1/2"	48,3	22		2,9	277	16	
530200080	50	2"	60,3	80	24	3,2	388	12	
530212080	65	2 1/2"	76,1		25	3,6	553	10	
530300080	80	3"	88,9		30	3,6	650	6	
530400080	100	4"	114,3		35	4,2	1028	6	






530/N

VITE DI ALLUNGAMENTO
BARILOTTO NERO

- BLACK BARREL NIPPLE
- ROHRDOPPELNIPPEL SCHWARZ
- MAMELON NOIR
- CARRETE DE PROLONGACION NEGRO

TYPE: International Nr. 23
MATERIAL: P235TR1 - S235 (R.St.37.0)
NORM: UNI / DIN EN 10241 (ex DIN 2982)
THREAD: EN 10226-1 [ex ISO 7/1]

CODE	DN	DN inch	DN mm	L mm	B mm	S mm		
530308100	10	3/8"	17	100	11	2	89	30
530102100	15	1/2"	21,2		14	2,3	116	30
530304100	20	3/4"	26,9		16	2,3	148	30
530100100	25	1"	33,7		18	2,9	213	20
530114100	32	1"1/4	42,4		20	2,9	298	16
530112100	40	1"1/2	48,3		22	2,9	342	16
530200100	50	2"	60,3		24	3,2	479	12
530212100	65	2"1/2	76,1		25	3,6	684	10
530300100	80	3"	88,9		30	3,6	803	6
530400100	100	4"	114,3		35	4,2	1271	6
530308120	10	3/8"	17	120	11	2	106	15
530102120	15	1/2"	21,2		14	2,3	138	15
530304120	20	3/4"	26,9		16	2,3	176	15
530100120	25	1"	33,7		18	2,9	254	10
530114120	32	1"1/4	42,4		20	2,9	355	8
530112120	40	1"1/2	48,3		22	2,9	408	8
530200120	50	2"	60,3		24	3,2	570	6
530212120	65	2"1/2	76,1		25	3,6	814	5
530300120	80	3"	88,9		30	3,6	918	4
530400120	100	4"	114,3		35	4,2	1513	6
530102140	15	1/2"	21,2	140	14	2,3	160	15
530304140	20	3/4"	26,9		16	2,3	204	15
530100140	25	1"	33,7		18	2,9	294	10
530308150	10	3/8"	17	150	11	2	132	15
530102150	15	1/2"	21,2		14	2,3	171	15
530304150	20	3/4"	26,9		16	2,3	219	15
530100150	25	1"	33,7		18	2,9	315	10
530114150	32	1"1/4	42,4		20	2,9	440	8
530112150	40	1"1/2	48,3		22	2,9	505	8
530200150	50	2"	60,3		24	3,2	707	6
530212150	65	2"1/2	76,1		25	3,6	1009	5
530300150	80	3"	88,9		30	3,6	1186	4
530400150	100	4"	114,3		35	4,2	1876	6
530102160	15	1/2"	21,2	160	14	2,3	182	15
530304160	20	3/4"	26,9		16	2,3	233	15
530100160	25	1"	33,7		18	2,9	335	10
530102180	15	1/2"	21,2	180	14	2,3	203	15
530304180	20	3/4"	26,9		16	2,3	261	15
530100180	25	1"	33,7		18	2,9	376	10



530/N

VITE DI ALLUNGAMENTO BARILOTTO NERO

- BLACK BARREL NIPPLE
- ROHRDOPPELNIPPEL SCHWARZ
- MAMELON NOIR
- CARRETE DE PROLONGACION NEGRO

TYPE: International Nr. 23
MATERIAL: P235TR1 - S235 (R.St.37,0)
NORM: UNI / DIN EN 10241 (ex DIN 2982)
THREAD: EN 10226-1 (ex ISO 7/1)

CODE	DN	DN inch	DN mm	L mm	B mm	S mm		
530308200	10	3/8"	17	200	11	2	174	15
530102200	15	1/2"	21,2		14	2,3	225	15
530304200	20	3/4"	26,9		16	2,3	289	15
530100200	25	1"	33,7		18	2,9	416	10
530114200	32	1 1/4"	42,4		20	2,9	582	8
530112200	40	1 1/2"	48,3		22	2,9	668	8
530200200	50	2"	60,3		24	3,2	935	6
530212200	65	2 1/2"	76,1		25	3,6	1335	5
530300200	80	3"	88,9		30	3,6	1568	4
530400200	100	4"	114,3		35	4,2	2481	6
530308250	10	3/8"	17	250	11	2	217	15
530102250	15	1/2"	21,2		14	2,3	281	15
530304250	20	3/4"	26,9		16	2,3	360	15
530100250	25	1"	33,7		18	2,9	518	10
530114250	32	1 1/4"	42,4		20	2,9	724	8
530112250	40	1 1/2"	48,3		22	2,9	831	8
530200250	50	2"	60,3		24	3,2	1163	6
530212250	65	2 1/2"	76,1		25	3,6	1660	5
530300250	80	3"	88,9		30	3,6	1951	4
530400250	100	4"	114,3		35	4,2	3086	4
530308300	10	3/8"	17	300	11	2	259	15
530102300	15	1/2"	21,2		14	2,3	336	15
530304300	20	3/4"	26,9		16	2,3	430	15
530100300	25	1"	33,7		18	2,9	619	10
530114300	32	1 1/4"	42,4		20	2,9	866	8
530112300	40	1 1/2"	48,3		22	2,9	994	8
530200300	50	2"	60,3		24	3,2	1391	6
530212300	65	2 1/2"	76,1		25	3,6	1953	5
530300300	80	3"	88,9		30	3,6	2666	4
530400300	100	4"	114,3		35	4,2	3691	4
530102400	15	1/2"	21,2	400	14	2,3	450	10
530304400	20	3/4"	26,9		16	2,3	590	10
530100400	25	1"	33,7		18	2,9	826	5
530102500	15	1/2"	21,2	500	14	2,3	555	10
530304500	20	3/4"	26,9		16	2,3	740	10
530100500	25	1"	33,7		18	2,9	1033	5