


A 60 60





### 714/304L/90


#### CURVA 90°-LR DA TUBO SENZA SALDATURA

- SEAMLESS ELBOW 90°-LR
- NAHTLOSE ROHRBÖGEN 90°-LR
- COURBE À SOUDER 90°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 90°-LR DE TUBO SIN SOLDATURA

**SCH. 10S**

**MATERIAL:** AISI 304L / W. 1.4307  
**NORM:** ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
714090015	15	1/2"	21,3	38	2,11	50	1
714090020	20	3/4"	26,7	38	2,11	80	1
714090025	25	1"	33,4	38	2,77	160	1
714090032	32	1 1/4"	42,2	48	2,77	270	1
714090040	40	1 1/2"	48,3	57	2,77	350	1
714090050	50	2"	60,3	76	2,77	560	1
714090065	65	2 1/2"	73	95	3,05	800	1
714090080	80	3"	88,9	114	3,05	1200	1
714090100	100	4"	114,3	152	3,05	2200	1
714090125	125	5"	141,3	190	3,4	3800	1
714090150	150	6"	168,3	229	3,4	5600	1
714090200	200	8"	219,1	305	3,76	10000	1



### 716/316L/90



#### CURVA 90°-LR DA TUBO SENZA SALDATURA

- SEAMLESS ELBOW 90°-LR
- NAHTLOSE ROHRBÖGEN 90°-LR
- COURBE À SOUDER 90°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 90°-LR DE TUBO SIN SOLDATURA


**SCH. 10S**

**MATERIAL:** AISI 316L / W. 1.4404  
**NORM:** ASME B16.9

A 60 60

CODE	DN	DN inch	D mm	A mm	T mm		
716090015	15	1/2"	21,3	38	2,11	50	1
716090020	20	3/4"	26,7	38	2,11	80	1
716090025	25	1"	33,4	38	2,77	160	1
716090032	32	1 1/4"	42,2	48	2,77	270	1
716090040	40	1 1/2"	48,3	57	2,77	350	1
716090050	50	2"	60,3	76	2,77	560	1
716090065	65	2 1/2"	73	95	3,05	800	1
716090080	80	3"	88,9	114	3,05	1200	1
716090100	100	4"	114,3	152	3,05	2200	1
716090125	125	5"	141,3	190	3,4	3800	1
716090150	150	6"	168,3	229	3,4	5600	1
716090200	200	8"	219,1	305	3,76	10000	1

A 60 60



## 744/304L/90

## CURVA 90°-LR DA TUBO SENZA SALDATURA


- SEAMLESS ELBOW 90°-LR
- NAHTLOSE ROHRBÖGEN 90°-LR
- COURBE À SOUDER 90°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 90°-LR DE TUBO SIN SALDATURA

SCH.  
40S

MATERIAL: AISI 304L / W. 1.4307  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
744090015	15	1/2"	21,3	38	2,77	60	1
744090020	20	3/4"	26,7	38	2,87	80	1
744090025	25	1"	33,4	38	3,38	210	1
744090032	32	1 1/4"	42,2	48	3,56	330	1
744090040	40	1 1/2"	48,3	57	3,68	450	1
744090050	50	2"	60,3	76	3,91	780	1
744090065	65	2 1/2"	73	95	5,16	1480	1
744090080	80	3"	88,9	114	5,49	2370	1
744090100	100	4"	114,3	152	6,02	3300	1
744090125	125	5"	141,3	190	6,55	7050	1
744090150	150	6"	168,3	229	7,11	10200	1
744090200	200	8"	219,1	305	8,18	20700	1

A 60 60



## 746/316L/90

## CURVA 90°-LR DA TUBO SENZA SALDATURA


- SEAMLESS ELBOW 90°-LR
- NAHTLOSE ROHRBÖGEN 90°-LR
- COURBE À SOUDER 90°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 90°-LR DE TUBO SIN SALDATURA

SCH.  
40S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
746090015	15	1/2"	21,3	38	2,77	60	1
746090020	20	3/4"	26,7	38	2,87	80	1
746090025	25	1"	33,4	38	3,38	210	1
746090032	32	1 1/4"	42,2	48	3,56	330	1
746090040	40	1 1/2"	48,3	57	3,68	450	1
746090050	50	2"	60,3	76	3,91	780	1
746090065	65	2 1/2"	73	95	5,16	1480	1
746090080	80	3"	88,9	114	5,49	2370	1
746090100	100	4"	114,3	152	6,02	3300	1
746090125	125	5"	141,3	190	6,55	7050	1
746090150	150	6"	168,3	229	7,11	10200	1
746090200	200	8"	219,1	305	8,18	20700	1

A 60 60





## 714/304L/45


### CURVA 45°-LR DA TUBO SENZA SALDATURA

- SEAMLESS ELBOW 45°-LR
- NAHTLOSE ROHRBÖGEN 45°-LR
- COURBE À SOUDER 45°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 45°-LR DE TUBO SIN SALDATURA

SCH. 10S

MATERIAL: AISI 304L / W. 1.4307  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
714045015	15	1/2"	21,3	16	2,11	20	1
714045020	20	3/4"	26,7	19	2,11	40	1
714045025	25	1"	33,4	22	2,77	80	1
714045032	32	1 1/4"	42,2	25	2,77	130	1
714045040	40	1 1/2"	48,3	29	2,77	170	1
714045050	50	2"	60,3	35	2,77	280	1
714045065	65	2 1/2"	73	44	3,05	400	1
714045080	80	3"	88,9	51	3,05	600	1
714045100	100	4"	114,3	64	3,05	1100	1
714045125	125	5"	141,3	79	3,4	1900	1
714045150	150	6"	168,3	95	3,4	2800	1
714045200	200	8"	219,1	127	3,76	5000	1





## 716/316L/45


### CURVA 45°-LR DA TUBO SENZA SALDATURA

- SEAMLESS ELBOW 45°-LR
- NAHTLOSE ROHRBÖGEN 45°-LR
- COURBE À SOUDER 45°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 45°-LR DE TUBO SIN SALDATURA

SCH. 10S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
716045015	15	1/2"	21,3	16	2,11	20	1
716045020	20	3/4"	26,7	19	2,11	40	1
716045025	25	1"	33,4	22	2,77	80	1
716045032	32	1 1/4"	42,2	25	2,77	130	1
716045040	40	1 1/2"	48,3	29	2,77	170	1
716045050	50	2"	60,3	35	2,77	280	1
716045065	65	2 1/2"	73	44	3,05	400	1
716045080	80	3"	88,9	51	3,05	600	1
716045100	100	4"	114,3	64	3,05	1100	1
716045125	125	5"	141,3	79	3,4	1900	1
716045150	150	6"	168,3	95	3,4	2800	1
716045200	200	8"	219,1	127	3,76	5000	1



## 744/304L/45

A 60 60


## CURVA 45°-LR DA TUBO SENZA SALDATURA

- SEAMLESS ELBOW 45°-LR
- NAHTLOSE ROHRBÖGEN 45°-LR
- COURBE À SOUDER 45°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 45°-LR DE TUBO SIN SALDATURA

SCH.  
40S

MATERIAL: AISI 304L / W. 1.4307  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
744045015	15	1/2"	21,3	16	2,77	30	1
744045020	20	3/4"	26,7	19	2,87	40	1
744045025	25	1"	33,4	22	3,38	100	1
744045032	32	1 1/4"	42,2	25	3,56	160	1
744045040	40	1 1/2"	48,3	29	3,68	250	1
744045050	50	2"	60,3	35	3,91	360	1
744045065	65	2 1/2"	73	44	5,16	740	1
744045080	80	3"	88,9	51	5,49	1200	1
744045100	100	4"	114,3	64	6,02	1600	1
744045125	125	5"	141,3	79	6,55	3000	1
744045150	150	6"	168,3	95	7,11	5000	1
744045200	200	8"	219,1	127	8,18	10000	1



## 746/316L/45

A 60 60

## CURVA 45°-LR DA TUBO SENZA SALDATURA


- SEAMLESS ELBOW 45°-LR
- NAHTLOSE ROHRBÖGEN 45°-LR
- COURBE À SOUDER 45°-LR DE TUBE SANS SOUDURE
- CODO PARA SOLDAR 45°-LR DE TUBO SIN SALDATURA

SCH.  
40S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	A mm	T mm		
746045015	15	1/2"	21,3	16	2,77	30	1
746045020	20	3/4"	26,7	19	2,87	40	1
746045025	25	1"	33,4	22	3,38	100	1
746045032	32	1 1/4"	42,2	25	3,56	160	1
746045040	40	1 1/2"	48,3	29	3,68	250	1
746045050	50	2"	60,3	35	3,91	360	1
746045065	65	2 1/2"	73	44	5,16	740	1
746045080	80	3"	88,9	51	5,49	1200	1
746045100	100	4"	114,3	64	6,02	1600	1
746045125	125	5"	141,3	79	6,55	3000	1
746045150	150	6"	168,3	95	7,11	5000	1
746045200	200	8"	219,1	127	8,18	10000	1

A 60 60



## 914/304L


### RIDUZIONE CONCENTRICA DA TUBO SENZA SALDATURA

- SEAMLESS CONCENTRIC REDUCTION
- NAHTLOSE REDUZIERSTÜCK KONZENTRISCH
- RÉDUCTION À SOUDER CONCENTRIQUE DE TUBE SANS SOUDURE
- REDUCCIÓN CONCÉNTRICA DE TUBO SIN SOLDATURA

SCH.  
10S

**MATERIAL:** AISI 304L / W. 1.4307  
**NORM:** ASME B16.9

CODE	D1 mm	D2 mm	DN1 inch	DN2 inch	T1 mm	T2 mm	H mm		
914020015	26,7	21,3	3/4"	1/2"	2,11	2,11	38	50	1
914025015	33,4	21,3	1"	1/2"	2,77	2,11	51	110	1
914025020	33,4	26,7	1"	3/4"	2,77	2,11	51	110	1
914032015	42,2	21,3	1"1/4	1/2"	2,77	2,11	51	140	1
914032020	42,2	26,7	1"1/4	3/4"	2,77	2,11	51	140	1
914032025	42,2	33,4	1"1/4	1"	2,77	2,77	51	140	1
914040015	48,3	21,3	1"1/2	1/2"	2,77	2,11	64	230	1
914040020	48,3	26,7	1"1/2	3/4"	2,77	2,11	64	230	1
914040025	48,3	33,4	1"1/2	1"	2,77	2,77	64	230	1
914040032	48,3	42,2	1"1/2	1"1/4	2,77	2,77	64	230	1
914050020	60,3	26,7	2"	3/4"	2,77	2,11	76	310	1
914050025	60,3	33,4	2"	1"	2,77	2,77	76	310	1
914050032	60,3	42,2	2"	1"1/4	2,77	2,77	76	310	1
914050040	60,3	48,3	2"	1"1/2	2,77	2,77	76	310	1
914065032	73	42,2	2"1/2	1"1/4	3,05	2,77	89	480	1
914065040	73	48,3	2"1/2	1"1/2	3,05	2,77	89	480	1
914065050	73	60,3	2"1/2	2"	3,05	2,77	89	480	1
914080032	88,9	42,2	3"	1"1/4	3,05	2,77	89	580	1
914080040	88,9	48,3	3"	1"1/2	3,05	2,77	89	580	1
914080050	88,9	60,3	3"	2"	3,05	2,77	89	580	1
914080065	88,9	73	3"	2"1/2	3,05	3,05	89	580	1
914100050	114,3	60,3	4"	2"	3,05	2,77	102	860	1
914100065	114,3	73	4"	2"1/2	3,05	3,05	102	860	1
914100080	114,3	88,9	4"	3"	3,05	3,05	102	860	1
914125080	141,3	88,9	5"	3"	3,4	3,05	127	1510	1
914125100	141,3	114,3	5"	4"	3,4	3,05	127	1510	1
914150080	168,3	88,9	6"	3"	3,4	3,05	140	2000	1
914150100	168,3	114,3	6"	4"	3,4	3,05	140	2000	1
914150125	168,3	141,3	6"	5"	3,4	3,4	140	2000	1
914200100	219,1	114,3	8"	4"	3,76	3,05	152	3300	1
914200125	219,1	141,3	8"	5"	3,76	3,4	152	3300	1
914200150	219,1	168,3	8"	6"	3,76	3,4	152	3300	1





## 916/316L


RIDUZIONE CONCENTRICA DA TUBO  
SENZA SALDATURA

- SEAMLESS CONCENTRIC REDUCTION
- NAHTLOSE REDUZIERSTÜCK KONZENTRISCH
- RÉDUCTION À SOUDER CONCENTRIQUE DE TUBE SANS SOUDURE
- REDUCCIÓN CONCÉNTRICA DE TUBO SIN SOLDATURA

SCH.  
10SMATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	D1 mm	D2 mm	DN1 inch	DN2 inch	T1 mm	T2 mm	H mm		
916020015	26,7	21,3	3/4"	1/2"	2,11	2,11	38	50	1
916025015	33,4	21,3	1"	1/2"	2,77	2,11	51	110	1
916025020	33,4	26,7	1"	3/4"	2,77	2,11	51	110	1
916032015	42,2	21,3	1"1/4	1/2"	2,77	2,11	51	140	1
916032020	42,2	26,7	1"1/4	3/4"	2,77	2,11	51	140	1
916032025	42,2	33,4	1"1/4	1"	2,77	2,77	51	140	1
916040015	48,3	21,3	1"1/2	1/2"	2,77	2,11	64	230	1
916040020	48,3	26,7	1"1/2	3/4"	2,77	2,11	64	230	1
916040025	48,3	33,4	1"1/2	1"	2,77	2,77	64	230	1
916040032	48,3	42,2	1"1/2	1"1/4	2,77	2,77	64	230	1
916050020	60,3	26,7	2"	3/4"	2,77	2,11	76	310	1
916050025	60,3	33,4	2"	1"	2,77	2,77	76	310	1
916050032	60,3	42,2	2"	1"1/4	2,77	2,77	76	310	1
916050040	60,3	48,3	2"	1"1/2	2,77	2,77	76	310	1
916065032	73	42,2	2"1/2	1"1/4	3,05	2,77	89	480	1
916065040	73	48,3	2"1/2	1"1/2	3,05	2,77	89	480	1
916065050	73	60,3	2"1/2	2"	3,05	2,77	89	480	1
916080032	88,9	42,2	3"	1"1/4	3,05	2,77	89	580	1
916080040	88,9	48,3	3"	1"1/2	3,05	2,77	89	580	1
916080050	88,9	60,3	3"	2"	3,05	2,77	89	580	1
916080065	88,9	73	3"	2"1/2	3,05	3,05	89	580	1
916100050	114,3	60,3	4"	2"	3,05	2,77	102	860	1
916100065	114,3	73	4"	2"1/2	3,05	3,05	102	860	1
916100080	114,3	88,9	4"	3"	3,05	3,05	102	860	1
916125080	141,3	88,9	5"	3"	3,4	3,05	127	1510	1
916125100	141,3	114,3	5"	4"	3,4	3,05	127	1510	1
916150080	168,3	88,9	6"	3"	3,4	3,05	140	2000	1
916150100	168,3	114,3	6"	4"	3,4	3,05	140	2000	1
916150125	168,3	141,3	6"	5"	3,4	3,4	140	2000	1
916200100	219,1	114,3	8"	4"	3,76	3,05	152	3300	1
916200125	219,1	141,3	8"	5"	3,76	3,4	152	3300	1
916200150	219,1	168,3	8"	6"	3,76	3,4	152	3300	1

A 60 60



## 946/316L


RIDUZIONE CONCENTRICA DA TUBO  
SENZA SALDATURA

- SEAMLESS CONCENTRIC REDUCTION
- NAHTLOSE REDUZIERSTÜCK KONZENTRISCH
- RÉDUCTION À SOUDER CONCENTRIQUE DE TUBE SANS SOUDURE
- REDUCCIÓN CONCÉNTRICA DE TUBO SIN SOLDATURA

SCH.  
40S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9



CODE	D1 mm	D2 mm	DN1 inch	DN2 inch	T1 mm	T2 mm	H mm		
946020015	26,7	21,3	3/4"	1/2"	2,87	2,77	38	70	1
946025015	33,4	21,3	1"	1/2"	3,38	2,77	51	130	1
946025020	33,4	26,7	1"	3/4"	3,38	2,87	51	130	1
946032015	42,2	21,3	1 1/4"	1/2"	3,56	2,77	51	200	1
946032020	42,2	26,7	1 1/4"	3/4"	3,56	2,87	51	200	1
946032025	42,2	33,4	1 1/4"	1"	3,56	3,38	51	200	1
946040015	48,3	21,3	1 1/2"	1/2"	3,68	2,77	64	280	1
946040020	48,3	26,7	1 1/2"	3/4"	3,68	2,87	64	280	1
946040025	48,3	33,4	1 1/2"	1"	3,68	3,38	64	280	1
946040032	48,3	42,2	1 1/2"	1 1/4"	3,68	3,56	64	280	1
946050020	60,3	26,7	2"	3/4"	3,91	2,87	76	420	1
946050025	60,3	33,4	2"	1"	3,91	3,38	76	420	1
946050032	60,3	42,2	2"	1 1/4"	3,91	3,56	76	420	1
946050040	60,3	48,3	2"	1 1/2"	3,91	3,68	76	420	1
946065032	73	42,2	2 1/2"	1 1/4"	5,16	3,56	89	780	1
946065040	73	48,3	2 1/2"	1 1/2"	5,16	3,68	89	780	1
946065050	73	60,3	2 1/2"	2"	5,16	3,91	89	780	1
946080032	88,9	42,2	3"	1 1/4"	5,49	3,56	89	1020	1
946080040	88,9	48,3	3"	1 1/2"	5,49	3,68	89	1020	1
946080050	88,9	60,3	3"	2"	5,49	3,91	89	1020	1
946080065	88,9	73	3"	2 1/2"	5,49	5,16	89	1020	1
946100050	114,3	60,3	4"	2"	6,02	3,91	102	1650	1
946100065	114,3	73	4"	2 1/2"	6,02	5,16	102	1650	1
946100080	114,3	88,9	4"	3"	6,02	5,49	102	1650	1
946125080	141,3	88,9	5"	3"	6,55	5,49	127	2750	1
946125100	141,3	114,3	5"	4"	6,55	6,02	127	2750	1
946150080	168,3	88,9	6"	3"	7,11	5,49	140	4000	1
946150100	168,3	114,3	6"	4"	7,11	6,02	140	4000	1
946150125	168,3	141,3	6"	5"	7,11	6,55	140	4000	1
946200100	219,1	114,3	8"	4"	8,18	6,02	152	6600	1
946200125	219,1	141,3	8"	5"	8,18	6,55	152	6600	1
946200150	219,1	168,3	8"	6"	8,18	7,11	152	6600	1

**200-1/304L****TEE NORMALE SENZA SALDATURA**

- SEAMLESS TEE
- NAHTLOSE T-STÜCK
- TÉ DE TUBE SANS SOUDURE
- TE IGUAL DE TUBO SIN SOLDATURA


**MATERIAL:** AISI 304L / W. 1.4307  
**NORM:** ASME B16.9

**SCH.  
10S**

CODE	DN	DN inch	D mm	C - M mm	T mm		
200104015	15	1/2"	21,3	25	2,11	120	1
200104020	20	3/4"	26,7	29	2,11	150	1
200104025	25	1"	33,4	38	2,77	300	1
200104032	32	1"1/4	42,2	48	2,77	500	1
200104040	40	1"1/2	48,3	57	2,77	690	1
200104050	50	2"	60,3	64	2,77	960	1
200104065	65	2"1/2	73	76	3,05	1490	1
200104080	80	3"	88,9	86	3,05	2040	1
200104100	100	4"	114,3	105	3,05	3210	1
200104125	125	5"	141,3	124	3,4	5000	1
200104150	150	6"	168,3	143	3,4	6400	1
200104200	200	8"	219,1	178	3,76	11700	1



**A 60 60**





## 200-1/316L

### TEE NORMALE SENZA SALDATURA


- SEAMLESS TEE
- NAHTLOSE T-STÜCK
- TÉ DE TUBE SANS SOUDURE
- TE IGUAL DE TUBO SIN SOLDATURA

**MATERIAL:** AISI 316L / W. 1.4404  
**NORM:** ASME B16.9

**SCH. 10S**

CODE	DN	DN inch	D mm	C-M mm	T mm		
200106015	15	1/2"	21,3	25	2,11	120	1
200106020	20	3/4"	26,7	29	2,11	150	1
200106025	25	1"	33,4	38	2,77	300	1
200106032	32	1 1/4"	42,2	48	2,77	500	1
200106040	40	1 1/2"	48,3	57	2,77	690	1
200106050	50	2"	60,3	64	2,77	960	1
200106065	65	2 1/2"	73	76	3,05	1490	1
200106080	80	3"	88,9	86	3,05	2040	1
200106100	100	4"	114,3	105	3,05	3210	1
200106125	125	5"	141,3	124	3,4	5000	1
200106150	150	6"	168,3	143	3,4	6400	1
200106200	200	8"	219,1	178	3,76	11700	1

**A 60 60**





## 200-4/316L


### TEE NORMALE SENZA SALDATURA

- SEAMLESS TEE
- NAHTLOSE T-STÜCK
- TÉ DE TUBE SANS SOUDURE
- TE IGUAL DE TUBO SIN SOLDATURA

**MATERIAL:** AISI 316L / W. 1.4404  
**NORM:** ASME B16.9

**SCH. 40S**

CODE	DN	DN inch	D mm	C-M mm	T mm		
200406015	15	1/2"	21,3	25	2,77	140	1
200406020	20	3/4"	26,7	29	2,87	180	1
200406025	25	1"	33,4	38	3,38	340	1
200406032	32	1 1/4"	42,2	48	3,56	580	1
200406040	40	1 1/2"	48,3	57	3,68	820	1
200406050	50	2"	60,3	64	3,91	1200	1
200406065	65	2 1/2"	73	76	5,16	2110	1
200406080	80	3"	88,9	86	5,49	3050	1
200406100	100	4"	114,3	105	6,02	5160	1
200406125	125	5"	141,3	124	6,55	8000	1
200406150	150	6"	168,3	143	7,11	11800	1
200406200	200	8"	219,1	178	8,18	25000	1





## 800-1/304L

## FONDELLO BOMBATO


- CAP
- KLÖPPERBODEN
- FOND BOMBÉ
- CAP

SCH.  
10S

MATERIAL: AISI 304L / W. 1.4307  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	H mm	T mm	 g	
800104015	15	1/2"	21,3	25	2,11	160	1
800104020	20	3/4"	26,7	25	2,11	180	1
800104025	25	1"	33,4	38	2,77	340	1
800104032	32	1"1/4	42,2	38	2,77	390	1
800104040	40	1"1/2	48,3	38	2,77	430	1
800104050	50	2"	60,3	38	2,77	530	1
800104065	65	2"1/2	73	38	3,05	550	1
800104080	80	3"	88,9	51	3,05	650	1
800104100	100	4"	114,3	64	3,05	800	1
800104125	125	5"	141,3	76	3,4	1200	1
800104150	150	6"	168,3	89	3,4	1700	1
800104200	200	8"	219,1	102	3,76	3200	1

A 60 60





## 800-1/316L

## FONDELLO BOMBATO


- CAP
- KLÖPPERBODEN
- FOND BOMBÉ
- CAP

SCH.  
10S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	H mm	T mm		
800106015	15	1/2"	21,3	25	2,11	160	1
800106020	20	3/4"	26,7	25	2,11	180	1
800106025	25	1"	33,4	38	2,77	340	1
800106032	32	1"1/4	42,2	38	2,77	390	1
800106040	40	1"1/2	48,3	38	2,77	430	1
800106050	50	2"	60,3	38	2,77	530	1
800106065	65	2"1/2	73	38	3,05	550	1
800106080	80	3"	88,9	51	3,05	650	1
800106100	100	4"	114,3	64	3,05	800	1
800106125	125	5"	141,3	76	3,4	1200	1
800106150	150	6"	168,3	89	3,4	1700	1
800106200	200	8"	219,1	102	3,76	3200	1

A 60 60





## 800-4/316L


## FONDELLO BOMBATO

- CAP
- KLÖPPERBODEN
- FOND BOMBÉ
- CAP

SCH.  
40S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	H mm	T mm		
800406015	15	1/2"	21,3	25	2,77	210	1
800406020	20	3/4"	26,7	25	2,87	250	1
800406025	25	1"	33,4	38	3,38	460	1
800406032	32	1"1/4	42,2	38	3,56	390	1
800406040	40	1"1/2	48,3	38	3,68	450	1
800406050	50	2"	60,3	38	3,91	550	1
800406065	65	2"1/2	73	38	5,16	650	1
800406080	80	3"	88,9	51	5,49	850	1
800406100	100	4"	114,3	64	6,02	1200	1
800406125	125	5"	141,3	76	6,55	2400	1
800406150	150	6"	168,3	89	7,11	3400	1
800406200	200	8"	219,1	102	8,18	6400	1





## 178-1/304L

## STUB-END SENZA SALDATURA


- SEAMLESS STUB-END
- NAHTLOSE STUB-END
- STUB-END SANS SOUDURE
- STUB-END SIN SOLDADURA

SCH.  
10S

MATERIAL: AISI 304L / W. 1.4307  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	T mm	F mm	G mm	R mm		
178104015	15	1/2"	21,3	2,11	51	35	3	70	1
178104020	20	3/4"	26,7	2,11	51	43	3	100	1
178104025	25	1"	33,4	2,77	51	51	3	140	1
178104032	32	1 1/4"	42,2	2,77	51	64	5	190	1
178104040	40	1 1/2"	48,3	2,77	51	73	6	220	1
178104050	50	2"	60,3	2,77	64	92	8	350	1
178104065	65	2 1/2"	73	3,05	64	105	8	470	1
178104080	80	3"	88,9	3,05	64	127	10	600	1
178104100	100	4"	114,3	3,05	76	157	11	910	1

A 60 60



### 178-1/316L

#### STUB-END SENZA SALDATURA


- SEAMLESS STUB-END
- NAHTLOSE STUB-END
- STUB-END SANS SOUDURE
- STUB-END SIN SOLDADURA

SCH. 10S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	T mm	F mm	G mm	R mm		
178106015	15	1/2"	21,3	2,11	51	35	3	70	1
178106020	20	3/4"	26,7	2,11	51	43	3	100	1
178106025	25	1"	33,4	2,77	51	51	3	140	1
178106032	32	1 1/4"	42,2	2,77	51	64	5	190	1
178106040	40	1 1/2"	48,3	2,77	51	73	6	220	1
178106050	50	2"	60,3	2,77	64	92	8	350	1
178106065	65	2 1/2"	73	3,05	64	105	8	470	1
178106080	80	3"	88,9	3,05	64	127	10	600	1
178106100	100	4"	114,3	3,05	76	157	11	910	1

A 60 60



### 178-4/316L

#### STUB-END SENZA SALDATURA

- SEAMLESS STUB-END
- NAHTLOSE STUB-END
- STUB-END SANS SOUDURE
- STUB-END SIN SOLDADURA

SCH. 40S

MATERIAL: AISI 316L / W. 1.4404  
NORM: ASME B16.9

CODE	DN	DN inch	D mm	T mm	F mm	G mm	R mm		
178406015	15	1/2"	21,3	2,77	51	35	3	80	1
178406020	20	3/4"	26,7	2,87	51	43	3	120	1
178406025	25	1"	33,4	3,38	51	51	3	170	1
178406032	32	1 1/4"	42,2	3,56	51	64	5	240	1
178406040	40	1 1/2"	48,3	3,68	51	73	6	290	1
178406050	50	2"	60,3	3,91	64	92	8	480	1
178406065	65	2 1/2"	73	5,16	64	105	8	760	1
178406080	80	3"	88,9	4,49	64	127	10	1040	1
178406100	100	4"	114,3	6,02	76	157	11	1750	1